| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|---------|--------------------------------------|---|---------------------|---------|------------------|
| S1 | 3 | "524984".ap. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/15 15:18 |
| S2 | 2 | "6192753".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/15 15:19 |
| S3 | 21 | czarnek-robert.in. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/15 16:42 |
| S4 | 2119440 | capacitance or capacit\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/15 16:43 |
| S5 | 248672 | pressure with (sensor or transducer) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/15 16:43 |
| S6 | 15172 | S4 same S5 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/15 16:44 |
| S7 | 1500475 | electrode | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/15 16:44 |
| S8 | 224 | dieletric with layer | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/15 16:45 |
| S9 | 250039 | dielectric with layer | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/15 16:45 |
| S10 | 86 | S9 same S7 same S6 | . US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/16 09:55 |
| S11 | 257 | 600/591.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/16 10:02 |

| S12 | 2 | "20060149168" | US-PGPUB; | OR | OFF | 2007/10/16 09:57 |
|-----|---------|---|---|----|-----------|------------------|
| | _ | 2000115100 | USPAT; EPO; JPO; DERWENT | | 3. | 2007/10/10 03/37 |
| S13 | 178 | "3806471" or "4503705" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/16 12:09 |
| S14 | 6 | ("3806471" or "4503705").pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/16 12:09 |
| S15 | 131 | ("2752558" "3509296" "4257305").PN. OR ("3806471" "4503705").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/10/16 12:16 |
| S16 | 167 | 600/390 | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/10/16 12:16 |
| S17 | 135 | 600/390.ccls. | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/10/16 12:16 |
| 518 | 16 | 600/390.ccls. and capacitor | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/10/16 12:50 |
| S19 | 92 | 600/587.ccls. and capacitor | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/10/16 12:50 |
| S20 | 1400 | 600/587.ccls. | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/10/16 12:50 |
| S21 | 1572186 | capacit\$5 | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/10/16 12:50 |
| 522 | 322 | S21 and S20 | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/10/16 12:51 |
| S24 | 35 | ("3806471" "3913563" "4503705" " 4785822" "4873986" "4873990" "49 09263" "4942882" "4944307" "4949 730" "4953563" "4966152" "496616 1" "4989615" "5140992" "5634476").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/16 12:54 |
| S25 | 1498 | 73/718 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/16 13:18 |

| | | | T | I | Γ | T |
|-----|---------|---|--|------|------|------------------|
| S26 | 718 | 73/718.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR . | OFF | 2007/10/16 14:00 |
| S27 | 8968 | yamatake.as. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/16 17:32 |
| S28 | 52 | yamatake.as. and ishikura-yoshiyuki.in. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/17 08:14 |
| S29 | 28261 | (elastic or spring) with electrode | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/17 08:15 |
| S30 | 2120302 | capacitance or capacit\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/17 08:16 |
| S31 | 248758 | pressure with (sensor or transducer) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/17 08:16 |
| S32 | 72 | S29 same S31 same S30 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/17 08:16 |
| S33 | 305570 | (pressure or force) with (sensor or transducer) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/17 09:25 |
| S34 | 18271 | S33 same S30 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/17 09:26 |
| S35 | 302488 | electrode same (slot or channel or grove or hole) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/10/17 09:26 |
| S36 | 337 | S34 same S35 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/10/17 09:39 |
| S37 | 2 | "5634476".pn. | US-PGPUB; -USPAT; EPO; JPO; DERWENT | OR | ON . | 2007/10/17 09:39 |

| | | T | T | | T | |
|-----|---------|---|---|------|-----|------------------|
| S38 | 2418910 | force . | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/22 09:47 |
| S39 | 670424 | capactive or capacitor | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/22 09:47 |
| S40 | 1826890 | sensor or transducer | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/22 09:48 |
| S41 | 522 | S38 with S39 with S40 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/22 12:28 |
| S42 | 140364 | electrode with (channel or-groove or holes) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR . | OFF | 2007/10/22 12:28 |
| S43 | 15391 | electrode with (channel or groove or holes) and sensor | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/22 12:29 |
| S44 | 9517 | electrode with channel and sensor | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/22 12:29 |
| S45 | 1624 | electrode with surface with channel and sensor | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/22 13:47 |
| S46 | 14 | electrode with surface with channel same (flex or bend or spring) and sensor | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/22 12:38 |
| S47 | . 51 | electrode with surface with hole same (flex or bend or spring) and sensor | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/22 12:39 |
| S48 | 154 | electrode with channel with spring | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/22 14:00 |
| S49 | 391 | 361/283.1 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/22 14:00 |

| S50 | 292 | 361/283.1.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/22 14:00 |
|-----|-----|-----------------|---|----|-----|------------------|
| S51 | 1 | 1986-094434 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/10/22 14:33 |